io·li·tec

## **Technical Data Sheet**

#### 1-Butyl-1-methylpiperidinium bis(trifluoromethylsulfonyl)imide

Revision Date:1/19/2012Date Issued:3/3/2022

#### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product name	1-Butyl-1-methylpiperidinium bis(trifluoromethylsulfonyl)imide	
Product code CAS	IL-0154 623580-02-9	
Supplier	IoLiTec Ionic Liquids Technologies GmbH <b>ROGO</b> Im Zukunftspark 9 D – 74076 Heilbronn <b>Distributor</b>	
Telephone Fax Emergency telephone Email	Germany +49 (0)7131-89839-0 +49 (0)7131-89839-109 +49 (0)179-5322578 info@iolitec.de	1816 Parkway View Drive, Pittsburgh, PA 15205 ⊠ Info@roco.global 724-315-9170 www.roco.global

#### **2 COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredient name

CAS No. Empirical Formula 1-Butyl-1-methylpiperidinium bis(trifluoromethylsulfonyl)imide 623580-02-9 $C_{12}H_{22}F_6N_2O_4S_2$ 

 $(CF_3SO_2)_2N^{\bigcirc}$ 

Structure Molecular weight Purity

436.44 g/mol >99%



## **Technical Data Sheet**

### 1-Butyl-1-methylpiperidinium bis(trifluoromethylsulfonyl)imide

Revision Date:	1/19/2012
Date Issued:	3/3/2022

#### **3 PROPERTIES**

Color	Yellow
Physical state (25 °C)	liquid
Melting point	not available
Glass transition temperature	-76 °C
Decomposition temperature	not available
Density (23 °C)	1.382 g/cm <sup>3</sup>
Viscosity (20 °C)	183.2 mPa * s
Heat capacity (25 °C)	not available
Conductivity (25 °C)	0.835 mS/cm
Electrochemical stability window	3.7 V
Anodic limit	2.4 V
Cathodic limit	-1.3 V

#### **4 CO-SOLVENT MISCIBILITY**

Water
Acetone
Acetonitrile
Isopropanol
Toluene
Hexane

not miscible miscible miscible miscible not miscible not miscible

## **5 ORDER INFORMATION**

IL-0154-HP can be obtained in the following standard quantities:



# **Technical Data Sheet**

1-Butyl-1-methylpiperidinium bis(trifluoromethylsulfonyl)imide

Revision Date:1/19/2012Date Issued:3/3/2022

Quantity	Price
25 g	Please enquire
50 g	Please enquire
100 g	Please enquire
250 g	Please enquire
500 g	Please enquire
1 kg	Please enquire
Bulk	Please enquire

Please send your order via email to <u>order@iolitec.de</u> or fax +49 (0)7131 – 89839109.

### **6 OTHER INFORMATION**

#### DISCLAIMER

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPOSED TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. IOLITEC SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. THIS INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR ANY PROCESS. IT IS THE USERE'S RESPONISIBILTY TO SATISFY HIMSELF AS TO THE SUITABILITY OF SUCH INFORMATION FOR HIS OWN PARTICULAR USE.

IN NO WAY SHALL IOLITEC BE LIABLE FOR ANY CLAIMS, LOSSES OR DAMAGES OF ANY THIRD PARTY OR FOR THE LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF THE COMPANY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.