

according to Regulation (EC) No 1907/2006

Lithium hexafluorophosphate

Revision Date: 2/22/2023

Date Issued: 4/14/2023 Version: 3

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name Lithium hexafluorophosphate

 Product code
 LBE-0200

 CAS
 21324-40-3

REACH No. A registration number is not available for this

substance as the substance or its uses are

exempted from registration, the annual tonnage does not require a registration or the registration is

envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised

against

Identified uses Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Supplier loLiTec

Ionic Liquids Technologies GmbH

Im Zukunftspark 9

D - 74076 Heilbronn

Germany

Telephone +49 (0)7131-89839-0

Fax +49 (0)7131-89839-109

Email msds@iolitec.de

1.4 Emergency telephone number

Emergency telephone +49 (0)151-41255671

Pistributor

1816 Parkway View Drive,
Pittsburgh, PA 15205

Info@roco.global
724-315-9170
www.roco.global

LBE-0200 Page: 1/11



according to Regulation (EC) No 1907/2006

Lithium hexafluorophosphate

Revision Date: 2/22/2023

Date Issued: 4/14/2023 Version: 3

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULTATION (EC) No 1272/2008)

Acute oral toxicity (Category 3)

Skin Corrosion/irritation (Category 1B)

Specific target organ toxicity (Category 1)

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Pictogram

Danger

Signal Word

H-phrases

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.
H372 Causes damage to organs bones & teeth.

P phrases

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/

spray.

P301 + P330+ P331 IF SWALLOWED: rinse mouth. Do NOT induce

vomiting.

P303 + P361+ P353 IF ON SKIN (or hair): Remove/Take off

immediately all contaminated clothing.

Rinse skin with water/shower.

P304 + P340 IF INHALED: Remove victim to fresh air

and keep at rest in a position comfortable

for breathing.

LBE-0200 Page: 2/11



according to Regulation (EC) No 1907/2006

Lithium hexafluorophosphate

Revision Date: 2/22/2023

Date Issued: 4/14/2023 Version: 3

P305 + P351+ P338 IF IN EYES: Rinse cautiously with water

for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container to local

regulations.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

3 COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Lithium hexafluorophosphate

CAS: 21324-40-3

Ingredient name Contents Classification

Lithium hexafluorophosphate >99.9% Ac. Tox. 3; Skin Corr. 1B; STOT 1

4 FIRST AID MEASURES

4.1 Description of first aid measures

General

Contaminated clothing should be removed and washed before being reused.

Inhalation

Move the exposed person to fresh air at once. If respiratory problems, provide artificial respiration/oxygen.

Ingestion

Immediately rinse mouth and provide fresh air. Do not induce vomiting. Get medical attention immediately.

LBE-0200 Page: 3/11



according to Regulation (EC) No 1907/2006

Lithium hexafluorophosphate

Revision Date: 2/22/2023

Date Issued: 4/14/2023 Version: 3

Skin

Wash the skin immediately with soap and water.

Eyes

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment neededNo data available

5 FIRE FIGHTING MEASURES

5.1 Extinguishing media

Use: Water spray, fog or mist. Carbon dioxides (CO₂). Dry chemicals, sand, dolomite etc.

5.2. Special hazards arising from the substance or mixture

Avoid water in straight hose stream, will scatter and spread fire. Keep run-off water out of sewers and water sources. Dike for water control. Fire causes formation of toxic gases

5.3. Advice for firefighters

Wear self-contained breathing apparatus as combustion may produce hazardous fumes

6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing and avoid inhalation of vapor, skin or eye contact

LBE-0200 Page: 4/11



according to Regulation (EC) No 1907/2006

Lithium hexafluorophosphate

Revision Date: 2/22/2023

Date Issued: 4/14/2023 Version: 3

6.2 Environmental precautions

Avoid washing into water courses. Avoid contaminating public drains or water supply

6.3 Methods and materials for containment and cleaning up

Avoid contact with skin or inhalation of spillage, dust or vapor. Avoid dust formation.

Collect and reclaim or dispose in sealed containers in license waste. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate.

6.4 Reference to other sections

For disposal see section 13.

7 HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from heat, sparks and open flame. Do not use in confined spaces without adequate ventilation and/or respirator

7.2 Conditions for safe storage, including any incompatibilities

Store at moderate temperatures in dry, well-ventilated area.

7.3 Specific end use(s)

Chemical storage

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Control parameters

Ingredients with workplace control parameters.

8.2 Exposure controls

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

LBE-0200 Page: 5/11



according to Regulation (EC) No 1907/2006

Lithium hexafluorophosphate

Revision Date: 2/22/2023

Date Issued: 4/14/2023 Version: 3

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it

Body Protection

Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance White crystal.

Color Colorless to slightly yellow.

Odor/taste No characteristic odor

Melting point 160 °C (decomposition)

Density 2.72 g/mL at 25 °C

Water solubility 18g/100g

9.2 Other safety information

No data available

LBE-0200 Page: 6/11



according to Regulation (EC) No 1907/2006

Lithium hexafluorophosphate

Revision Date: 2/22/2023

Date Issued: 4/14/2023 Version: 3

10 STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Avoid contact with water, might lead to hydrogen fluoride formation (HF).

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Avoid contact to humid air.

10.5 Incompatible materials

Strong oxidizing agents. Water.

10.6 Hazardous decomposition products

High temperatures generate: Corrosive gases/vapor/fumes of: Hydrogen fluoride (HF).

11 TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes

Acute toxicity

Oral LD50 (rat) 1702mg/kg

Skin corrosion/irritation

strong corrosive effect on skin and mucous membranes

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

LBE-0200 Page: 7/11



according to Regulation (EC) No 1907/2006

Lithium hexafluorophosphate

Revision Date: 2/22/2023

Date Issued: 4/14/2023 Version: 3

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

11.2 Information on other hazards

Potential health effects

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.

Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. Causes skin irritation.

Eyes Causes serious eye irritation.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Additional Information

RTECS: Not available

12 ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

LBE-0200 Page: 8/11



according to Regulation (EC) No 1907/2006

Lithium hexafluorophosphate

Revision Date: 2/22/2023

Date Issued: 4/14/2023 Version: 3

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available

13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Contact specialist disposal companies. Dispose of in accordance with Local Authority requirements. Recover and reclaim or recycle, if practical.

14 TRANSPORT INFORMATION

14.1 UN number

ADR/RID: 2923 IMDG: 2923 IATA: 2923

14.2 UN proper shipping name

ADR/RID: Corrosive solid, toxic, n.o.s (Lithium hexafluorophosphate)

IMDG: Corrosive solid, toxic, n.o.s (Lithium hexafluorophosphate)

IATA: Corrosive solid, toxic, n.o.s (Lithium hexafluorophosphate)

14.3 Transport hazard class(es)

ADR/RID: 8 (6.1) IMDG: 8 (6.1) IATA: 8 (6.1)

14.4 Packaging group

ADR/RID: I IMDG: I IATA: I

LBE-0200 Page: 9/11



according to Regulation (EC) No 1907/2006

Lithium hexafluorophosphate

Revision Date: 2/22/2023

Date Issued: 4/14/2023 Version: 3

14.5 Environmental hazards

ADR/RID: - IMDG Marine pollutant: - IATA: -

14.6 Special precautions for user

No data available

15 REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

no data available

Country specific information

Germany WGK: 3 (Self-Classification)

LBE-0200 Page: 10/11



according to Regulation (EC) No 1907/2006

Lithium hexafluorophosphate

Revision Date: 2/22/2023

Date Issued: 4/14/2023 Version: 3

16 OTHER INFORMATION

DISCLAIMER

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPOSED TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. IOLITEC SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. THIS INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR ANY PROCESS. IT IS THE USERE'S RESPONISIBILTY TO SATISFY HIMSELF AS TO THE SUITABILITY OF SUCH INFORMATION FOR HIS OWN PARTICULAR USE.

IN NO WAY SHALL IOLITEC BE LIABLE FOR ANY CLAIMS, LOSSES OR DAMAGES OF ANY THIRD PARTY OR FOR THE LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF THE COMPANY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

LBE-0200 Page: 11/11