io·li·tec

### **Technical Data Sheet**

1-Hexyl-3-methylimidazolium iodide

Revision Date:8/24/2017Date Issued:2/7/2022

#### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product name Product code CAS	1-Hexyl-3-methylimidazolium iodide IL-0026 178631-05-5	
Supplier	IoLiTec Ionic Liquids Technologies Gr Im Zukunftspark 9 D – 74076 Heilbronn Germany	nbH <b>ROCO</b> Distributor 1816 Parkway View Drive,
Telephone Fax Emergency telephone Email	+49 (0)7131-89839-0 +49 (0)7131-89839-109 +49 (0)179-5322578 info@iolitec.de	Pittsburgh, PA 15205 Info@roco.global 724-315-9170 www.roco.global

#### **2 COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredient name

**Empirical Formula** 

1-Hexyl-3-methylimidazolium iodide

178631-05-5

 $C_{10}H_{19}IN_2$ 

Θ

294.18 g/mol >98%

Structure

CAS No.

Molecular weight Purity

io·li·tec

# **Technical Data Sheet**

### 1-Hexyl-3-methylimidazolium iodide

Revision Date:8/24/2017Date Issued:2/7/2022

#### **3 PROPERTIES**

Color	yellow to red
Physical state (25 °C)	liquid
Melting point	-15°C
Glass transition temperature	not available
Decomposition temperature	not available
Density (26 °C)	1.4803 g/cm
Viscosity (25 °C)	1730 cP
Heat capacity (25 °C)	not available
Conductivity (25 °C)	0.248 mS/cm
Electrochemical stability window	not available
Anodic limit	not available
Cathodic limit	not available

#### **4 CO-SOLVENT MISCIBILITY**

Water
Acetone
Acetonitrile
Isopropanol
Toluene
Hexane

miscible miscible miscible miscible not miscible not miscible



# **Technical Data Sheet**

#### 1-Hexyl-3-methylimidazolium iodide

Revision Date:8/24/2017Date Issued:2/7/2022

#### **5 ORDER INFORMATION**

IL-0026-HP can be obtained in the following standard quantities:

Quantity	Price
25 g	Please enquire
50 g	Please enquire
100 g	Please enquire
250 g	Please enquire
500 g	Please enquire
1 kg	Please enquire
Bulk	Please enquire

Please send your order via email to order@iolitec.de or fax +49 (0)7131 - 89839109.

#### **6 OTHER INFORMATION**

#### DISCLAIMER

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPOSED TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. IOLITEC SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. THIS INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR ANY PROCESS. IT IS THE USERE'S RESPONISIBILTY TO SATISFY HIMSELF AS TO THE SUITABILITY OF SUCH INFORMATION FOR HIS OWN PARTICULAR USE.

IN NO WAY SHALL IOLITEC BE LIABLE FOR ANY CLAIMS, LOSSES OR DAMAGES OF ANY THIRD PARTY OR FOR THE LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF THE COMPANY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.