io·li·tec

Technical Data Sheet

1-Hexyl-2,3-dimethylimidazolium iodide

Revision Date:	8/19/2013
Date Issued:	1/26/2022

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product name Product code CAS	1-Hexyl-2,3-dimethylimidazolium iodide IL-0138 288627-94-1
Supplier	IoLiTec Ionic Liquids Technologies GmbH ROCO Im Zukunftspark 9 D – 74076 Heilbronn Germany New Drive,
Telephone Fax Emergency telephone Email	+49 (0)7131-89839-0 +49 (0)7131-89839-109 +49 (0)179-5322578 info@iolitec.de Pittsburgh, PA 15205 ∑ Info@roco.global 724-315-9170 www.roco.global

2 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient name

CAS No. Empirical Formula 1-Hexyl-2,3-dimethylimidazolium iodide

288627-94-1

 $C_{11}H_{21}IN_2$

lΘ

308.07 g/mol >98%

Structure

Molecular weight Purity

io·li·tec

Technical Data Sheet

1-Hexyl-2,3-dimethylimidazolium iodide

Revision Date:	8/19/2013
Date Issued:	1/26/2022

3 PROPERTIES

Color	Yellow to brown
Physical state (25 °C)	solid
Melting point	79 °C
Glass transition temperature	not available
Decomposition temperature	not available
Density (25 °C)	0,6662 g/cm ³
Viscosity (25 °C)	not available
Heat capacity (25 °C)	not available
Conductivity (25 °C)	not available
Electrochemical stability window	not available
Anodic limit	not available
Cathodic limit	not available

4 CO-SOLVENT MISCIBILITY

Water		
Acetone		
Acetonitrile		
Isopropanol		
Toluene		
Hexane		

miscible miscible miscible not miscible not miscible

io·li·teo

Technical Data Sheet

1-Hexyl-2,3-dimethylimidazolium iodide

 Revision Date:
 8/19/2013

 Date Issued:
 1/26/2022

5 ORDER INFORMATION

IL-0138-HP can be obtained in the following standard quantities:

Quantity	Price
25 g	Please enquire
50 g	Please enquire
100 g	Please enquire
250 g	Please enquire
500 g	Please enquire
1 kg	Please enquire
Bulk	Please enquire

Please send your order via email to <u>order@iolitec.de</u> or fax +49 (0)7131 - 89839109.

6 OTHER INFORMATION

DISCLAIMER

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPOSED TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. IOLITEC SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. THIS INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR ANY PROCESS. IT IS THE USERE'S RESPONISIBILTY TO SATISFY HIMSELF AS TO THE SUITABILITY OF SUCH INFORMATION FOR HIS OWN PARTICULAR USE.

IN NO WAY SHALL IOLITEC BE LIABLE FOR ANY CLAIMS, LOSSES OR DAMAGES OF ANY THIRD PARTY OR FOR THE LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF THE COMPANY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.