io·li·tec

# **Technical Data Sheet**

## N-[2-(Methacryloyloxy)ethyl]-N,N-dimethylbutylammonium

bis(trifluoromethanesulfonyl)imide

Revision Date:	1/15/2024
Date Issued:	1/15/2024

# 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product name	N-[2-(Methacryloyloxy)ethyl]-N,N- dimethylbutylammonium bis(trifluoromethanesulfonyl)imide	
Product code	IL-0363	
CAS	1616483-28-3	
Supplier	loLiTec Ionic Liquids Technologies Gr Im Zukunftspark 9 D – 74076 Heilbronn Germany	<b>Distributor</b> 1816 Parkway View Drive,
Telephone	+49 (0)7131-89839-0	Pittsburgh, PA 15205 Sinfo@roco.global
Fax	+49 (0)7131-89839-109	724-315-9170
Emergency telephone Email	+49 (0)179-5322578 info@iolitec.de	www.roco.global

## **2 COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredient name

N-[2-(Methacryloyloxy)ethyl]-N,N-

dimethylbutylammonium

bis(trifluoromethanesulfonyl)imide

1616483-28-3

**Empirical Formula** 

Molecular weight

 $H_{24}C_{14}O_6N_2F_6S_2$ || 0

494.46 g/mol > 97%

Purity

Structure

CAS No.



# **Technical Data Sheet**

# N-[2-(Methacryloyloxy)ethyl]-N,N-dimethylbutylammonium

# bis(trifluoromethanesulfonyl)imide

Revision Date:	1/15/2024
Date Issued:	1/15/2024

## **3 PROPERTIES**

Color	Colorless to orange
Physical state (25 °C)	liquid
Melting point	-19°C
Glass transition temperature	not available
Decomposition temperature	not available
Density (22°C)	1.430 g/cm <sup>3</sup>
Viscosity (22°C)	1269 cP
Heat capacity	not available
Conductivity (22°C)	135.9 µS/cm
Electrochemical stability window	not available
Anodic limit	not available
Cathodic limit	not available

# 4 CO-SOLVENT MISCIBILITY

Water	not miscible
Acetone	miscible
Acetonitrile	miscible
Isopropanol	miscible
Toluene	not miscible
Hexane	not miscible



# **Technical Data Sheet**

# *N*-[2-(Methacryloyloxy)ethyl]-*N*,*N*-dimethylbutylammonium

# bis(trifluoromethanesulfonyl)imide

Revision Date:	1/15/2024
Date Issued:	1/15/2024

## **5 ORDER INFORMATION**

IL-0353-HP can be obtained in the following standard quantities:

r	
Quantity	Price
25 g	Please enquire
50 g	Please enquire
100 g	Please enquire
250 g	Please enquire
500 g	Please enquire
1 kg	Please enquire
Bulk	Please enquire

Please send your order via email to <u>order@iolitec.de</u> or fax +49 (0)7131 – 89839109.

## 6 OTHER INFORMATION

## DISCLAIMER

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT IS NOT PURPOSED TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. IOLITEC SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. THIS INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR ANY PROCESS. IT IS THE USER'S RESPONISIBILITY TO SATISFY HIMSELF AS TO THE SUITABILITY OF SUCH INFORMATION FOR HIS OWN PARTICULAR USE.

IN NO WAY SHALL IOLITEC BE LIABLE FOR ANY CLAIMS, LOSSES OR DAMAGES OF ANY THIRD PARTY OR FOR THE LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF THE COMPANY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.